

						
00101	00102	00103	00104	00105	00107	00108
						
00112	00113	00114	00115	00108	00701	00701
						
00304	00305	00306	00301	00302	00303	00303
						
00806	00807	00808	00809	00810	00812	00812
						
00814	00805	00804	00803	00802	00801	00801
						
00763	00764	00761	00762	00703	00001	00001

Materialspesifikasjon

SMART

wood


steel

floor



slides

walls


roof



	a	b	c	d	e	f	g	h
59 cm	✓	X	X	X	X	X	✓	X
90 cm	X	✓	✓	X	✓	✓	✓	✓
120 cm	X	✓	X	✓	✓	✓	✓	✓
150 cm	X	✓	X	✓	✓	✓	✓	✓



material



①

Slides made of stainless steel AISI 304. Metal sheet with a thickness of 2 mm formed in a CNC technique. Side panels made of HDPE polyethylene 15 mm, in the highest quality and totally damp-proof and resistant to UV.

②

Solid construction made of black steel S235JR, cleaned in the sandblasting process. Protected against corrosion by galvanizing and powder coating with polyester paint QUALICOAT attested.

③

Soft conifer wood 90 x 90 mm, coreless, glued in layers with polyurethane glues, totally resistant to water. Wood secured from weather conditions in the process of impregnation carried out twice with specialist wood protecting impregnating preparations.

④

Anti-slip HPL 10 mm platform plate with a very high resistance to weather conditions and attrition.

⑤

Plates of the walls made of colourful triple layered 12 mm HDPE polyethylene, in the highest quality, totally damp-proof and resistant to UV.

⑥

Polypropylene ropes ppmultisplit type with a steel core and a diameter of 16 mm.

⑦

Safe post covers made of injection molded polyamide

⑧

Rope ladder steps made of injection molded polyamide.

⑨

Rope endings pressed in a sleeve made of durable aluminum alloy.

